CERTIFICATE OF ANALYSIS

Product Description WATER

TISSUE CULTURE GRADE/MOLECULAR BIOLOGY GRADE

STERILE FILTERED

Product Number W783

Lot Number 14K0783010

Storage Temperature Room Temperature

Physiochemical Specifications:

TEST	SPECIFICATION	RESULTS
pH (Neat)	Under Development	4.7
Physical Appearance		
Color	Colorless	Colorless
Texture	Clear Liquid	Clear Liquid
Insolubles	None	Passes
Sterility by USP <71>	Sterile	Passes
DNAse Detection	None	Passes
RNAse Detection	None	Passes

Biological Testing:

Test Concentration: 1L

TEST SPECIFICATION	PLANT CELL LINE	RESULTS
Supports and/or facilitates plant growth and/or shoot proliferation in two or	African Violet	Passes
more plant tissue cultured lines with no morphological aberrations to plants	Achimenes	Passes

The material described in this certificate originates in the United States of America.

Phyto Technology Laboratories® provides the above information intended to be used only as a guide to the appropriate handling of this material by a properly trained person. Phyto Technology Laboratories® shall not be held liable for any damage resulting from handling or from contact with the above product. This product is intended for LABORATORY USE ONLY. Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticidal products, food additives or as household chemicals.

Recommended Shelf Life Date: October 2017

Gary Seckinger, PhD



Mailing Address: P.O. Box 12205, Shawnee Mission, KS 66282-2205 Phone: 1-888-749-8682 (1-913-341-5343 *Outside the USA & Canada*) Fax: 1-888-449-8682 (1-913-341-5442 *Outside the USA & Canada*)

Visit our Web Site at http://www.phytotechlab.com

