

SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION AND COMPANY INFORMATION

PRODUCT NAME:	Murashige & Skoog Modified Basal Medium, Buffered with MES
PRODUCT NUMBER:	M530
COMPANY INFO:	PhytoTech Labs Inc. 14610 W 106 th St. Lenexa, KS 66215 Phone: 1-888-749-8682 or 1-913-341-5343 www.phytotechlab.com
EMERGENCY PHONE NUN (INFOTRAC):	Image: ABER 1-800-535-5053 - US Only 1-352-323-3500 - International
RECOMMENDED USE:	For Laboratory-use or Further Manufacture only
RESTRICTIONS ON USE:	Products sold by PhytoTech Labs Inc. are intended for research and laboratory use only. Products are not to be used as human or animal therapeutics, cosmetics, agricultural or pesticidal products, food additives, in vitro diagnostics, or as household chemicals.

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification:

Hazard Statements:

H272 – Oxidizing solids (Category 3)

H315 – Skin irritation (Category 2)

H319 – Eye irritation (Category 2A)

H272 – May intensify fire; oxidizer.

H319 - Causes serious eye irritation.

H335 – May cause respiratory irritation.

H315 – Causes skin irritation.

H335 - Specific target organ toxicity - single exposure - Respiratory system (Category 3)

GHS Label elements, including hazard and precautionary statements:



Signal Word: Warning

Precautionary Statements:

P221 – Take any precaution to avoid mixing with combustibles.
P280 – Wear protective clothing/protective gloves/eye protection.
P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture that contains, but is not limited to, the following components that may cause harm to the user or environment or may be suspected to do so:

Ingredient	CAS Number	Percent	Hazardous
Ammonium Nitrate	6484-52-2	30.36 %	No exposure limits established by OSHA or ACGIH
Potassium Nitrate	7757-79-1	34.97 %	No exposure limits established by OSHA or ACGIH
EDTA, Disodium Salt, Dihydrate	6381-92-6	0.69 %	No exposure limits established by OSHA or ACGIH
Ferrous Sulfate, Heptahydrate	7782-63-0	0.51 %	No exposure limits established by OSHA or ACGIH
Cobalt Chloride, Hexahydrate	7791-13-1	0.0005 %	OSHA PEL: 0.08 mg (Co)/m ³ ; ACGIH TLV: 0.05 mg (Co)/m ³
Cupric Sulfate, Pentahydrate	7758-99-8	0.0005 %	NIOSH REL: 1 mg/m3
Sodium Molybdate(VI), Dihydrate	10102-40-6	0.005 %	OSHA PEL: 5 mg (Mo)/m ³ ; ACGIH TLV: 5 mg (Mo)/m ³

Ingredient Cont.	CAS Number	Percent	Hazardous
Manganese Sulfate, Monohydrate	10034-96-5	0.31 %	OSHA PEL:5 mg (Mn)/m ³ ; ACGIH TLV: 0.2 mg (Mn)/m ³
Potassium Iodide	7681-11-0	0.015 %	OSHA PEL: 0.1 mg/m3
Boric Acid	10043-35-3	0.11 %	No exposure limits established by OSHA or ACGIH

4. FIRST AID MEASURES

General Advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Route of Entry	Symptoms	First Aid Procedures
Ingestion	May cause irritation if swallowed	If swallowed, wash out mouth with water. Never give anything by mouth to an unconscious person. Get medical attention.
Inhalation	May cause irritation to respiratory tract	Safely remove victim to fresh air. If not breathing, institute cardiopulmonary resuscitation (CPR). If breathing is difficult, ensure clear airway and give oxygen. Get medical attention.
Eye Contact	Direct contact may cause irritation. May cause redness, tearing, or blurred vision.	Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention if irritation persists.
Skin Contact	Irritating. May cause reddening, itching or inflammation.	Wash area thoroughly with soap and water. Remove and wash contaminated clothing. Get medical attention if irritation persists.

Most Important Symptoms or Effects, Both Acute and Delayed:

See section 2 and/or section 11

Recommendation for Immediate Medical Care and Special Treatment Needed:

No data available

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:	Water spray, carbon dioxide, dry chemical powder, or appropriate foam. Use extinguishing media suitable for surrounding fire.
Special Protective Equipment and Precaution for Firefighters:	In the event of a fire, wear full protective clothing and NIOSH approved self- contained breathing apparatus. Evacuate the area and fight fire from a safe distance.
Hazardous Combustion Products:	May emit toxic fumes under fire conditions.
Toxic Gases Produced:	Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas, Potassium oxides, Sodium oxides, Cobalt/cobalt oxides, Molybdenum oxides, Copper oxides

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protection recommended in Section 8. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Method of Containment and Cleanup:	Wear suitable protective clothing. Avoid dust formation. Carefully sweep up and remove. Place material in a dry container and cover. Remove from the area. Flush spill area with water. Do not let products enter drains.
7. HANDLING AND STORAGE	
Precaution for Safe Handling:	Avoid contact with skin and eyes. Avoid dust formation and aerosols. Avoid incompatible substances. Keep away from combustible materials. Wash thoroughly after use.
Conditions for Safe Storage:	Keep in a tightly closed container and store in a cool, dry, and well-ventilated area. Protect from moisture. Product is hygroscopic.

Incompatibilities:Strong oxidizing agentRecommended Storage Temperature:2-8°C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA's Permissible Exposure Limits (PELs):	Manganese Sulfate, Monohydrate : 5 mg (Mn)/m ³ Sodium Molybdate(VI), Dihydrate: 5 mg (Mo)/m ³
Threshold Limit Values (TLVs):	Sodium Molybdate(VI), Dihydrate: 5 mg (Mo)/m ³
Engineering Controls:	Handle in accordance to general industrial hygiene and safety practice.

Personal Protective Equipment (PPE):

Eye/Face Protection:	Chemical safety glasses or goggles. Have eye-washing facilities readily available where eye contact can occur.
Skin Protection:	Protective gloves
Body Protection:	Lab coat
Respiratory Protection:	Respiratory protection is not required. Use N95 (US) or type P1 (EN 143) dust mask where dust level is nuisance. A NIOSH/MSHA approved air purifying respirator is recommended where airborne concentrations are expected to exceed exposure limits. Protection provided by purifying respirators is limited.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White to	White to yellow powder			
pH:	No data a	No data available			
Solubility:	Soluble in	n Water			
Melting Range:	No data a	wailable			
Vapor Density:	No data a	wailable			
Vapor Pressure:	No data a	vailable			
Specific Gravity:	No data a	wailable			
Odor:	Odorless				
Odor Threshold:	No data a	vailable			
Viscosity:	No data a	No data available			
Relative Density:	No data a	wailable			
Evaporation Rate:		No data available			
Initial Boiling Point and Boiling Range:		No data available			
Flammability (solid	l, gas):	No data available			
Partition coefficient: No da n-octanol/water):		No data available	No data available		
Auto-ignition Temp	perature:	No data available	Vo data available		
Decomposition Temperature: No data		No data available	No data available		
Flash Point (Closed Cup): No data		No data available			
Flammable Limits: Upper		Upper (%) – No data available	Lower (%) – No data available		
10. STABILITY AND REACTIVITY					
Reactivity:		No data available			
Chemical Stability:		Stable under normal con	Stable under normal conditions of use		
		W/11 mat a server			

Incompatibles Materials:		Strong oxidizing agents			
ļ		Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas, Potassium oxides, Sodium oxides, Cobalt/cobalt oxides, Molybdenum oxides, Copper oxides			
11. TOXICOLOGICAL IN	NFORMATION	I			
Toxicity:	LD ₅₀ (Oral-Ra	t)(mg/Kg):	No data available		
	LD ₅₀ (Oral-Mo	ouse)(mg/Kg):	No data available		
	LD ₅₀ (Dermal-	Rabbit)(mg/Kg):	No data available		
Carcinogenicity:	NTP:	No			
	IARC:	No			
	OSHA Reg:	No			
Reproductive Toxicity:	No data available				
Symptoms Associated with Overexposure:	Irritation, sneezing, gastrointestinal upset				
Specific Target Organ Toxicity:	Single Exposure: No dat		ta available		
Toxicity.	Repeated Expo	osure: No da	ta available		
Target Organs:	None identified				
Medical Conditions Aggravated By Exposure:	None identified				
Routes of Entry:	Inhalation, Ingestion, skin and eye contact				

NIOSH/RTECS NO: Not listed

The toxicological properties of this product have not been thoroughly investigated

12. ECOLOGICAL INFORMATION

Ecotoxicity:	No data available
Persistence and Degradability:	No data available
Bioaccumulative Potential:	No data available
Mobility in Soil:	No data available
Other Adverse Effects:	No data available

13. DISPOSAL CONSIDERATION

Disposal Procedure: Dispose in accordance with all applicable federal, state, and local environmental regulations.

EPA Hazardous Waste Number: No data available

14. TRANSPORT INFORMATION

Domestic (D.O.T.):	Proper Shipping Name:	CHEMICALS, N.O.S. (NON-REGULATED)
	Hazard Class:	N/A
	UN/NA:	N/A
	Labels:	N/A

International:

IMDG:	Proper Shipping Name:	CHEMICALS, N.O.S. (NON-REGULATED)			
	Hazard Class:	N/A			
	UN/NA:	N/A			
	Labels:	N/A			
IATA:	Proper Shipping Name:	CHEMICALS, N.O.S. (NON-REGULATED)			
	Hazard Class:	N/A			
	UN/NA:	N/A			
	Labels:	N/A			
15. REGULATORY INFORMATION					
TSCA:		No			
SARA TITLE III:					
Section 302 (EHS) Ingredients:		No			
Section 313 Ingredients:		No			
Section 304 (EHS/CERCLA) Ingredients:		No			
Section 311/312 Hazard:		Chronic Health Hazard			
Massachusetts Right To Know Components:					
Ferrous Sulfate	CAS No. 7782-63-0				
New Jersey Right to					
Ammonium Nitr	CAS No. 6484-52-2				
Potassium Nitrat					
Pennsylvania Right to Know Components:					
Ammonium Nite	CAS No.				
Ammonium Nitr Potassium Nitrat					
Ferrous Sulfate	7782-63-0				

California Proposition 65 List: None of the components in this product are known to cause cancer or reproductive toxicity

16. OTHER INFORMATION

HMIS Rating:	Health Hazard	Chronic Health Hazard	Flammability	Physical Hazard
	2	*	0	2
NFPA Rating:	Health Hazard	Fire Hazard	Reactivity Hazard	Special Hazard
	2	0	2	OX

*Chronic Hazard: Chronic (long-term) health effects may result from repeated overexposure.

16. OTHER INFORMATION

PhytoTech Labs Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. The above information is intended to be used only as a guide to the appropriate precautionary handling of this material by a properly trained person. PhytoTech Labs Inc. shall not be held liable for any damage resulting from handling or from contact with the above product. This product is intended for LABORATORY OR FURTHER MANUFACTURING USE ONLY. Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticidal products, food additives or as household chemicals.

Revision Date: 11 August 2022