



Product Information Sheet

M5541 Murashige & Skoog (MS) Basal Salt Mixture Van der Salm Modification

Properties

Form:	Fine Powder
Appearance:	Light Burgandy Powder
Application:	Plant Tissue Culture
Solubility:	Water
Typical Working Concentration:	4.36 g/L
Storage Temp:	2-6°
Storage Temp of Stock Solution:	Preparation of concentrated solutions is not recommended as insoluble precipitates may form.
Other Notes:	Contains the macro- and micronutrients as described by Murashige and Skoog (1962) with the iron source as described by Van der Salm et al. (1994). Unadjusted pH = Approx. 3.5-4.5

Formula (mg/L)

Ammonium Nitrate	1650
Boric Acid	6.2
Calcium Chloride, Anhydrous	332.2
Cobalt Chloride•6H ₂ O	0.025
Cupric Sulfate•5H ₂ O	0.025
FeNa-EDDHA	96.0
Magnesium Sulfate, Anhydrous	180.7

Manganese Sulfate•H ₂ O	16.9
Molybdc Acid (Sodium Salt)• 2H ₂ O	0.25
Potassium Iodide	0.83
Potassium Nitrate	1900
Potassium Phosphate, Monobasic	170
Zinc Sulfate•7H ₂ O	8.6

Application Notes

Plant Tissue Culture Tested

Plant species: Originally published for use on the rose rootstock cv 'Moneyway' due to chlorosis in shoots cultured on the standard MS formula.

References

Murashige, T and F Skoog. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant.* 15:473-497.

Van der Salm, TMP, CJG Van der Toorn, CH Hänisch ten Cate, LAM Dubois, DP De Vries, and HJM Dons. 1994. Importance of the iron chelate formula for micropropagation of *Rosa Hybrida* L. 'Moneyway'. *Plant Cell Tiss. and Organ Cult.* 37:73-77.

Revised 6/2010

PhytoTechnology Laboratories®

P.O. Box 12205; Shawnee Mission, KS 66282-2205

Phone: 1-888-749-8682 or 1-913-341-5343; Fax: 1-888-449-8682 or 1-913-341-5442

Web Site: www.phytotechlab.com

© 2010 PhytoTechnology Laboratories®