# **PhytoTechnology Laboratories®**

Helping to Build a Better Tomorrow through Plant Science™



## **Product Information Sheet**

		T888 Thidiazuron (>98%)
Synonyms: CAS: Formula: MW:	1-Phenyl-3-(1,2,3-thiadiazol-5-yl)urea; TDZ 51707-55-2 C <sub>9</sub> H <sub>8</sub> N₄OS 220.25 g/mol	
Properties: Form: Appearance: Application: Solubility: Storage Temp: Stock Solution Storage Temp: Typical Working Concentration: Other Notes:	Powder White to Off-White Powder Plant Growth Regulator DMSO, 0.1 N KOH -20°C -20°C Varies by application. Concentration should be determined by end user. Plant Tissue Culture Tested; For Research Use Only	N O N O N O N O N O N O N O N O N O N O
Application Notes:		

#### **Application Notes:**

Thidiazuron (TDZ) was originally used as a cotton defoliant and is the active ingredient in Dropp®. TDZ was later found to have cytokinin activity in bean (Mok *et al.* 1982). It is a derivative of a N,N'-diphenylurea (DPU), which belongs to a substituted phenylurea class of compounds that exhibits similar cytokinin activity to that of adenine-based cytokinins (Takahashi *et al.* 1978). The main mode of action of phenyurea-cytokinins is to inhibit cytokinin oxidases and allow for endogenous cytokinins to have a longer half-life (Mok and Mok 2001).

*Phyto*Technology Laboratories® also carries TDZ Solutions (1 mg/mL), Product No. T8118 (aqueous solution) and Product No. T7999 (DMSO).

TDZ is not stable to autoclaving.

Please Note: While *Phyto*Technology Laboratories<sup>™</sup> tests each lot of this product with two or more plant cell/ tissue culture lines, it is the sole responsibility of the purchaser to determine the appropriateness of this product for the specific plants that are being cultured and applications that are being used.

#### **References:**

#### Merck 13, 9384

Mok, DWS and M Mok (2001) Cytokinin metabolism and action. Annu. Rev. Plant Physiol. Plant Mol. Biol. 52:89-118.

Mok MC, Mok DWS, Armstrong DJ, Shudo K, Isogai Y, and T Okamoto (1982) Cytokinin Activity of N-Phenyl-N'-1,2,3-thiaddiazol-5-ylurea (Thidiazuron). *Phytochemistry* Vol. 21(7):1509-1511.

Takahashi S, Shudo K, Okamoto T, Yamada K, and Y Isogai (1978) Cytokinin Activity of N-Phenyl-N'-(4pyridyl)urea (Thidiazuron). *Phytochemistry* Vol. 17:1201-1207.

### **PhytoTechnology Laboratories®**