



Product Information Sheet

C187 Coconut Powder

Properties

Form:	Powder
Appearance:	White to Off-white
Application:	Orchid Media Supplement
Solubility:	Suspension in Water @ 25 grams per liter
Typical Working Concentration:	15 to 30 grams per liter
Storage Temp:	Room Temperature
Other Notes:	Plant Tissue Culture Tested

Application Notes

Coconut powder has been shown to stimulate shoot proliferation in many plant species. This is most likely due to its unique composition of nutrients and natural phytohormones. It is most commonly used in orchid tissue culture as a medium supplement. Introduced by Overbeek et al. in 1940, coconut water was used as a new component of nutrient medium for callus cultures (1941) and has since become a popular additive in tissue culture media.

PhytoTechnology Laboratories® also carries Freeze Dried Organic Coconut Powder, Product No. C1780, and Coconut Water, Product No. C195.

References

- Afroz A, Z. Chaudhry, U. Rashid, M.R. Khan and G.M. Ali (2010) Enhanced regeneration in explants of tomato (*Lycopersicon esculentum* L.) with the treatment of coconut water. *African Journal of Biotechnology* 9(24), pp. 3634-3644.
- Alam MF, Sinha P, Hakim ML.(2010) Micropropagation of *Vanda teres* (Roxb.) Lindl. *Methods Mol Biol.* 589:21-8.
- Al-Khayri, JM (2010) Somatic embryogenesis of date palm (*Phoenix dactylifera* L.) improved by coconut water. *Biotechnology*, 9: 477-484. DOI: [10.3923/biotech.2010.477.484](https://doi.org/10.3923/biotech.2010.477.484)
- Baskaran, P and N. Jayabalan (2005) An Efficient Micropropagation System for *Eclipta alba*: A Valuable Medicinal Herb. *In Vitro Cellular & Developmental Biology. Plant*, 41:4 Pp. 532-539
- Jayasiah, Y. and Wattimena, D.I.G. (1994) The effect of coconut water and zeolite on micropropagation of potato shoot. *Acta Hort.* (ISHS) 369:451-454 http://www.actahort.org/books/369/369_49.htm
- Kunisaki J, Araki A, Sagawa Y (2003) Micropropagation of 'awa (kava, *Piper methysticum*). Honolulu (HI): University of Hawaii. 11 p. *Biotechnology*; BIO-4. <http://hdl.handle.net/10125/2842>
- Mandal AB, A. Maiti and Elanchezhian R. (2002) In vitro micropropagation of *Ananas comosus* L. (Merr.) var. Queen. *Jour. Appl. Hort.* 4(2):107-112.
- Martin KP (2007) Micropropagation of the bamboo orchid (*Arundina graminifolia* (d. Don) Hochr.) through protocorm-like-bodies using node explants. *Propagation of Ornamental Plants* 7(2): 97-100.
- Modi, P.; Banerjee, M. (2009) Effect of growth regulator and additives (AdSO₄, zeatin and coconut water) on micropropagation of *Rauvolfia serpentina*. *Journal of Applied Bioscience*, v. 35(1): p. 79-81.
- Nasib A, K. Ali and S. Khan (2008) An optimized and improved method for the in vitro propagation of kiwifruit (*Actinidia deliciosa*) using coconut water. *Pak. J. Bot.*, 40(6): 2355-2360.

PhytoTechnology Laboratories®

P.O. Box 12205 • Shawnee Mission, KS • 66282-2205

Phone: 1-913-341-5343 or 1-888-749-8682 (U.S. Only) Fax: 1-913-341-5442 or 1-888-449-8682 (U.S. Only)

Web Site: www.phytotechlab.com

© 2014 PhytoTechnology Laboratories®



Product Information Sheet

- Overbeek, V.J.; Conklin, M.E.; Blakeslee, A.F. (1941) Factors in coconut milk essential for growth and development of very young *Datura* embryos. *Science*, 94, 350–351
- Peixe A, Raposo A, Lourenco R, Cardoso H, Macedo E (2007) Coconut water and BAP successfully replaced zeatin in olive (*Olea europaea* L.) micropropagation. *Scientia Horticulturae* (Amsterdam) 113, 1-7.
- Sayed Hassan AKM and SK Roy (2005) Micropropagation of *Gloriosa superba* L. Through High Frequency Shoot Proliferation. *Plant Tissue Cult.* 15(1): 67-74.
- Sinha P, Alam MF, Hakim ML (2010) Micropropagation of *Phalaenopsis* Blume. *Methods Mol Biol.* 589:77-85.
- Soundararajan, T. and C.M. Karrunakaran (2011) Micropropagation of *Bacopa monnieri* through protoplast. *Asian J. Biotechnol.*, 3: 135-152.
- Tefera W and S. Wannakraijoj (2004) Micropropagation of Krawan (*Amomum krervanh* Pierre ex Gagnep). *Science Asia* 30: 9-15
- Tefera W. and S. Wannakraijoj (2004) A Micropropagation Method for Korarima (*Aframomum corrorima* (Braun) Jansen). *ScienceAsia* 30: 1-7
- Yam T W, Ichihashi S and Arditti J (1991) Callus Growth and Plantlet Regeneration in Taro, *Colocasia esculenta* var. *esculenta* (L) Schott (Araceae). *Ann Bot* 67(4): 317-323.
- Yong, JWH, Ge L, Ng YF, and Tan SN (2009) The Chemical Composition and Biological Properties of Coconut (*Cocos nucifera* L.) Water. *Molecules* 14, 5144-5164. doi:[10.3390/molecules14125144](https://doi.org/10.3390/molecules14125144)

PhytoTechnology Laboratories®

P.O. Box 12205 • Shawnee Mission, KS • 66282-2205

Phone: 1-913-341-5343 or 1-888-749-8682 (U.S. Only) Fax: 1-913-341-5442 or 1-888-449-8682 (U.S. Only)

Web Site: www.phytotechlab.com

© 2014 PhytoTechnology Laboratories®