PhytoTechnology Laboratories®



Helping to Build a Better Tomorrow through Plant Science™

Product Information Sheet

C212 Carrot Callus Initiation Basal Medium

Properties

Form: Powder

White to Yellow Powder Appearance: Application: Plant Tissue Culture

Solubility: Water

Typical Working Concentration:

3.21 g/L

Storage Temp: 2 - 6° C

Storage Temp of Preparation of concentrated solutions is not recommended as insoluble

Stock Solution: precipitates may form.

Other Notes: Contains the macro- and micronutrients, vitamins, and plant growth

regulators required to initiate carrot callus from root tissue.

Requires the addition of sucrose (e.g., 30 g/L) and a gelling agent (e.g., 6-8

g/L agar)

pH = 3.5 - 4.5; should be adjusted to pH 5.6 - 5.8

Formula (mg/L)

Ammonium Sulfate	134
Boric Acid	3
Calcium Chloride, Anhydrous	113.24
Cobalt Chloride-6H ₂ O	0.025
Cupric Sulfate-5H ₂ O	0.025
Na ₂ EDTA-2H ₂ O	37.3
Ferrous Sulfate-7H ₂ O	27.8
Magnesium Sulfate, Anhydrous	122.09
Manganese Sulfate·H ₂ O	10
Molybdic Acid (Sodium Salt)-2H ₂ O	0.25

Potassium Iodide	0.75
Potassium Nitrate	2500
Sodium Phosphate Monobasic	150
Zinc Sulfate-7H ₂ O	2
2,4-Dichlorophenoxyacetic Acid	1
myo-Inositol	100
Nicotinic Acid (Free Acid)	1
Pyridoxine-HCI	1
Thiamine-HCI	10

Application Notes

Plant Tissue Culture Tested

Plant species: Carrot (Daucus carota)

Revised 4/2014

PhytoTechnology Laboratories®

P.O. Box 12205; Shawnee Mission, KS 66282-2205

1-888-449-8682 or 913-341-5442 Phone: 1-888-749-8682 or 913-341-5343; Fax: Web Site: www.phytotechlab.com © 2014 PhytoTechnology Laboratories®