



**PhytoTechnology
Laboratories®**

SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION AND COMPANY INFORMATION

PRODUCT NAME: Sodium Dodecyl Sulfate
PRODUCT NUMBER: S844
COMPANY INFO: *PhytoTechnology Laboratories®*
PO Box 12205, Shawnee, KS 66282-2205
Phone: 1-888-749-8682 or 1-913-341-5343; Fax: 1-888-449-8682 or 1-913-341-5442
www.phytotechlab.com

EMERGENCY PHONE NUMBER: 1-800-535-5053 - US Only
1-352-323-3500 - International

RECOMMENDED USE: For Research Use Only

RESTRICTIONS ON USE: Products sold by *PhytoTechnology Laboratories®* are intended for research and laboratory use only. Products are not to be used as human or animal therapeutics, cosmetics, agricultural or pesticidal products, food additives, or as household chemicals.

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification:

H228 - Flammable solids (Category 2)
H302 - Acute toxicity, Oral (Category 4)
H332 - Acute toxicity, Inhalation (Category 4)
H315 - Skin irritation (Category 2)
H318 - Serious eye damage (Category 1)
H335 - Specific target organ toxicity - single exposure (Category 3), Respiratory system
H401 - Acute aquatic toxicity (Category 2)
H412 - Chronic aquatic toxicity (Category 3)

GHS Label elements, including hazard and precautionary statements:



Signal Word: **Danger**

Hazard Statements:

H228 – Flammable solid.
H302 + H332 – Harmful if swallowed or if inhaled.
H315 – Causes skin irritation.
H318 – Causes serious eye damage.
H335 – May cause respiratory irritation.
H401 – Toxic to aquatic life.

Precautionary Statements:

P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P261 – Avoid breathing dust.
P273 – Avoid release to the environment.
P280 – Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338 + P310 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: SDS; Sodium Lauryl Sulfate
CAS No.: 151-21-3
Formula: $C_{12}H_{25}NaO_4S$

Molecular Weight: 288.38 g/mol

EC No.: 205-788-1

Ingredient	CAS Number	Percent	Hazardous
Sodium Dodecyl Sulfate	151-21-3	>99 %	No exposure limits established by OSHA or ACGIH

4. FIRST AID MEASURES

General Advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Route of Entry	Symptoms	First Aid Procedures
Ingestion	May cause irritation if swallowed	If swallowed, wash out mouth with water. Never give anything by mouth to an unconscious person. Get medical attention.
Inhalation	May cause irritation to respiratory tract	Safely remove victim to fresh air. If not breathing, institute cardiopulmonary resuscitation (CPR). If breathing is difficult, ensure clear airway and give oxygen. Get medical attention.
Eye Contact	Direct contact may cause irritation. May cause redness, tearing, or blurred vision.	Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention if irritation persists.
Skin Contact	Irritating. May cause reddening, itching or inflammation.	Wash area thoroughly with soap and water. Remove and wash contaminated clothing. Get medical attention if irritation persists.

Most Important Symptoms or Effects, Both Acute and Delayed:

See section 2 and/or section 11

Recommendation for Immediate Medical Care and Special Treatment Needed:

No data available

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray, carbon dioxide, dry chemical powder, or appropriate foam. Use extinguishing media suitable for surrounding fire.

Special Protective Equipment and Precaution for Firefighters: In the event of a fire, wear full protective clothing and NIOSH approved self-contained breathing apparatus. Evacuate the area and fight fire from a safe distance.

Hazardous Combustion Products: May emit toxic fumes under fire conditions.

Toxic Gases Produced: Carbon oxides, Sulphur oxides, Sodium oxides

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protection recommended in Section 8. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Method of Containment and Cleanup: Wear suitable protective clothing. Avoid dust formation. Carefully sweep up and remove. Place material in a dry container and cover. Remove from the area. Flush spill area with water. Do not let products enter drains.

7. HANDLING AND STORAGE

Precaution for Safe Handling: Avoid contact with skin and eyes. Avoid dust formation and aerosols. Avoid incompatible substances. Keep away from heat and sources of ignition. – No smoking. Wash thoroughly after use.

Conditions for Safe Storage: Keep in a tightly closed container and store in a cool, dry, and well-ventilated area.

Incompatibilities: Strong oxidizing agent

Recommended Storage Temperature: Room Temperature

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA's Permissible Exposure Limits (PELs): No data available

Threshold Limit Values (TLVs): No data available

Engineering Controls: Handle in accordance to general industrial hygiene and safety practice.

Personal Protective Equipment (PPE):

Eye/Face Protection: Chemical safety glasses or goggles. Have eye-washing facilities readily available where eye contact can occur.

Skin Protection: Protective gloves

Body Protection: Lab coat

Respiratory Protection: Appropriate respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white powder

pH: No data available

Solubility: Soluble in Water

Melting Point: 204 - 207 °C (399 - 405 °F) - lit.

Vapor Density: No data available

Vapor Pressure: 0.0018 hPa (0.0014 mmHg) at 20 °C (68 °F)

Odor: Strong, characteristic odor

Odor Threshold: No data available

Viscosity: No data available

Relative Density: 0.370 g/cm³

Evaporation Rate: No data available

Initial Boiling Point and Boiling Range: No data available

Flammability (solid, gas): No data available

Partition coefficient: log Pow: 0.83 at 22 °C (72 °F)
n-octanol/water):

Auto-ignition Temperature: 310.5 °C (590.9 °F)

Decomposition Temperature: No data available

Flash Point: 170 °C (338 °F)

Flammable Limits: Upper (%) – No data available Lower (%) – No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use

Possibility of Hazard Reactions: Will not occur

Conditions to Avoid: Heat, flames and sparks

Incompatibles Materials: Strong oxidizing agents

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide

11. TOXICOLOGICAL INFORMATION

Toxicity:	LD ₅₀ (Oral-Rat)(mg/Kg):	1,200
	LD ₅₀ (IV-Rat)(mg/Kg):	118
	LD ₅₀ (IP-Mouse)(mg/Kg):	250
Carcinogenicity:	NTP:	No
	IARC:	No
	Z List:	No
	OSHA Reg:	No
Reproductive Toxicity:	No data available	
Symptoms Associated with Overexposure:	The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking.	
Specific Target Organ Toxicity:	Single Exposure:	No data available
	Repeated Exposure:	No data available
Target Organs:	Respiratory system, eyes, liver	
Medical Conditions Aggravated By Exposure:	None identified	
Routes of Entry:	Ingestion, inhalation, skin and eye contact	
NIOSH/RTECS NO:	WT1050000	

The toxicological properties of this product have not been thoroughly investigated

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Toxicity to fish - flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h (OECD Test Guideline 203)	
	Toxicity to daphnia - flow-through test EC50 - Daphnia dubia (water flea) - 5.55 mg/l - 48 h	
	Toxicity to algae - Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2.68 mg/l - 6 d static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 120 mg/l - 72 h	
Persistence and Degradability:	95% readily biodegradable	
Bioaccumulative Potential:	Bioconcentration factor (BCF): 3.9 – 5.3	
Mobility in Soil:	No data available	
Other Adverse Effects:	No data available	

13. DISPOSAL CONSIDERATION

Disposal Procedure:	Dispose in accordance with all applicable federal, state, and local environmental regulations.	
EPA Hazardous Waste Number:	No data available	

14. TRANSPORT INFORMATION

Domestic (D.O.T.):	Proper Shipping Name:	Flammable solids, organic, n.o.s. (Sodium dodecyl sulphate)	
	Hazard Class:	4.1	Packing group: III
	UN:	1325	
	Poison Inhalation Hazard:	No	

International:

IMDG: Proper Shipping Name: Flammable solids, organic, n.o.s. (Sodium dodecyl sulphate)
Hazard Class: 4.1 Packing group: III EMS-No.: F-A, S-G
UN: 1325
IATA: Proper Shipping Name: Flammable solids, organic, n.o.s. (Sodium dodecyl sulphate)
Hazard Class: 4.1 Packing group: III
UN: 1325

15. REGULATORY INFORMATION

TSCA: Yes

SARA TITLE III:

Section 302 (EHS) Ingredients: No
Section 313 Ingredients: No
Section 304 (EHS/CERCLA) Ingredients: No
Section 311/312 Hazard: Fire Hazard, Acute Health Hazard

Massachusetts Right to Know Components: No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components: CAS No.: 151-21-3 Sodium dodecyl sulphate

New Jersey Right to Know Components: CAS No.: 151-21-3 Sodium dodecyl sulphate

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

HMIS Rating:	Health Hazard	Chronic Health Hazard	Flammability	Physical Hazard
	2		3	3
NFPA Rating:	Health Hazard	Fire Hazard	Reactivity Hazard	Special Hazard
	2	3	3	

***PhytoTechnology Laboratories®* provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. The above information is intended to be used only as a guide to the appropriate precautionary handling of this material by a properly trained person. *PhytoTechnology Laboratories®* shall not be held liable for any damage resulting from handling or from contact with the above product. This product is intended for LABORATORY USE ONLY. Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticidal products, food additives or as household chemicals.**

Revision Date: 20 May 15